## Author index of Volume 40 (1996)

(The issue number is given in front of the page numbers.)

Adomian, G., Solving the mathematical models of neurosciences and medicine	(1-2)107-114
Anastassopoulos, V., see Yu, P.	(5-6) 577-595
Anthopoulos, G., see Tzafestas, S.G.	(5-6)507-521
Bang, O., see Rasmussen, K.O.	(3-4)339-358
Barlach, J., see Thomsen, J.S.	(3-4)411-423
Bhatikar, Y., see Wu, C.	(1-2) 23- 33
Bishop, J.M., see Mitchell, R.J.	(5-6)549-563
Borckmans, P., see Mazin, W.	(3-4)371-396
Chassiakos, A.G. and S.F. Masri, Identification of structural systems by neural networks	(5-6)637-656
Christiansen, P.L., see Rasmussen, K.O.	(3-4)339-358
Cruzeiro-Hansson, L. and V.M. Kenkre, Comment on the phase problem in the semiclassical	
Langevin simulations of the Davydov system	(3-4)297-304
Dalianis, P.J., see Tzafestas, S.G.	(5-6)507-521
Dammann, B., see Gilhoj, H.	(3-4)319-337
Dauxois, T., see Peyrard, M.	(3-4)305-318
Dewel, G., see Mazin, W.	(3-4)371-396
Eilbeck, J.C. and V.Z. Enol'skii, Some applications of computer algebra to problems in	
theoretical physics	(3-4)443-452
Enol'skii, V.Z., see Eilbeck, J.C.	(3-4)443-452
Feudel, F., N. Seehafer and O. Schmidtmann, Bifurcation phenomena of the magnetofluid	
equations	(3-4)235-245
Gaididei, Y.B., see Rasmussen, K.O.	(3-4)339-358
Gawthrop, P.J., see Sbarbaro, D.	(5-6)657-663
Gilhój, H., M. Laradji, B. Dammann, C. Jeppesen, O.G. Mouritsen, S. Toxværd and M.J.	
Zuckermann, Effect of vacancies and surfactants on the dynamics of ordering processes in	
multi-component systems	(3-4)319-337
Gonzalez-Lima, F. and A.R. McIntosh, Analysis of neural network interactions related to	
associative learning using structural equation modeling	(1-2)115-140
Grujić, L.T. and A. Michel, Modeling and qualitative analysis of continuous-time neural	
networks under pure structural variations	(5-6)523-533
Gustafson, K., Biological dynamical subsystems of hovering flight	(3-4)397-410
Hameroff, S. and R. Penrose, Orchestrated reduction of quantum coherence in brain	
microtubules: A model for consciousness	(3-4)453-480
Hesthaven, J.S. see Juul Rasmussen, J.	(3-4)207-221

Hunt, K.J., see Sharbaro, D.   (5-6)657-630   Jensen, M.H., Simulating models of turbulence and interfaces   (3-4)193-206   Jeppesen, C., see Gilhidj, H.   (3-4)319-337   (5-6)623-635   Julk Rasmussen, J. J.S. Hesthaven, J.P. Lynov, A.H. Nielsen and M.R. Schmidt, Dipolar vortices in two-dimensional flows   (3-4)207-221   (3-4)207-22		
Jepresen, C., see Gilhéj, H.  Jervis, B., see Papadourakis, G.  Juul Rasmussen, J., J.S. Hesthaven, J.P. Lynov, A.H. Nielsen and M.R. Schmidt, Dipolar vortices in two-dimensional flows  Juul Rasmussen, J., J. See Karpman, V.I.  Karpman, V.I., J.P. Lynov, P.K. Michelsen and J. Juul Rasmussen, Modulational instability of plasma waves in two dimensions.  Kenkre, V.M., see Cruzici-To-Hansson, L.  Kenkre, V.M., see Cruzici-To-Hansson, L.  Kenkre, V.M., see Cruzici-To-Hansson, L.  Kollias, S., see Kontoravdis, D.  Kontoravdis, D., Modeling and sensitivity analysis of neural networks  Larayli, M., see Gilhéj, H.  Lazarides, N. and M.P. Sérensen, Gap anisotropy and tunneling currents  Liebman, M.N., Application of neural networks to the analysis of structure and function in biologically active macromolecules  Lin, HP., see Wu, C.  Lin, HP., see Wu, C.  Lynov, J.P., see Juul Rasmussen, J.  Lynov, J.P., see Juul Rasmussen, J.  Lynov, J.P., see Karpman, V.I.  Mason, P.A., Establishing an imaging system to support a microscopy laboratory  Masin, S.F., see Chassiakos, A.G.  Mazin, W., K.E. Rasmussen, E. Mosekilde, P. Borckmans and G. Dewel, Pattern Formation in the bistable Gray-Scott model  McIntosh, A.R., see Gonzalez-Lima, F.  Micheloyannis, S., see Papadourakis, G.  Michel, R.J., J.M. Bishop and P.R. Minchinton, Optimising memory usage in n-tuple neural networks  Mosekilde, E., see Mazin, W.  Mosekilde, E., see Mazin, W.  Mosekilde, E., see Ramussen, J.  Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks (S-6)549-563  Mouritsen, O.G., see Gilhéj, H.  Mosekilde, E., see Thomsen, J.S.  Mouritsen, O.G., see Gilhéj, H.  Nielsen, A.H., see Juul Rasmussen, J.  Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks (S-6)623-635  (S-6)623-635  (S-6)623-635  (S-6)623-635  (S-6)623-635  (S-6)623-635  (S-6)62	Hunt, K.J., see Sbarbaro, D.	(5-6)657-663
Jervis, B., see Papadourakis, G. Juul Rasmussen, J., J.S. Hesthaven, J.P. Lynov, A.H. Nielsen and M.R. Schmidt, Dipolar vortices in two-dimensional flows Juul Rasmussen, J., see Karpman, V.I. Karpman, V.I., J.P. Lynov, P.K. Michelsen and J. Juul Rasmussen, Modulational instability of plasma waves in two dimensions. Kenkre, V.M., see Cruzeiro-Hansson, L. Kessler, J.O., Consumption, supply and transport: Self-organization without direct communication Kontoravdis, D., S. Kollias and A. Stafylopatis, A two-phase connectionist approach to invariant picture interpretation Lamy, D., Modeling and sensitivity analysis of neural networks Laradji, M., see Gilbėj, H. Lazarides, N. and M.P. Sørensen, Gap anisotropy and tunneling currents Liebman, M.N., Application of neural networks to the analysis of structure and function in biologically active macromolecules Liebman, M.N., Application of neural networks to the analysis of structure and function in biologically active macromolecules Lipony, J.P., see Way M.C. Lynov, J.P., see Karpman, V.I. Mason, P.A., Establishing an imaging system to support a microscopy laboratory Masri, S.F., see Chassiakos, A.G. Mazin, W., K.E. Rasmussen, E. Mosekilde, P. Borckmans and G. Dewel, Pattern Formation in the bistable Gray-Scott model McIntosh, A.R., see Gouzalez-Lima, F. Micheloyannis, S., see Papadourakis, G. Michelsen, P.K., see Karpman, V.I. Mikiten, T.M., Intuition-based computing: A new kind of 'virtual reality' Minchinton, P.R., see Marjan, W. Mosekilde, E., see Ramman, J.S. Mosekilde, E., see Rasmussen, J. Papadourakis, G., M. Vourksa, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis Penrose, R., see Hameroff, S. Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems	Jensen, M.H., Simulating models of turbulence and interfaces	(3-4)193-206
Juul Rasmussen, J., J.S. Hesthaven, J.P. Lynov, A.H. Nielsen and M.R. Schmidt, Dipolar vortices in two-dimensional flows Juul Rasmussen, J., see Karpman, V.I. Karpman, V.I., J.P. Lynov, P.K. Michelsen and J. Juul Rasmussen, Modulational instability of plasma waves in two dimensions.  Kenkre, V.M., see Cruzeiro-Hansson, L. Kessler, J.O., Consumption, supply and transport: Self-organization without direct communication  Kollias, S., see Kontoravdis, D. Kontoravdis, D., S. Kollias and A. Stafylopatis, A two-phase connectionist approach to invariant picture interpretation Lamy, D., Modeling and sensitivity analysis of neural networks Laradij, M., see Gilhéj, H. Lazarides, N. and M.P. Sérensen, Gap anisotropy and tunneling currents Lichman, M.N., Application of neural networks to the analysis of structure and function in biologically active macromolecules Lich, HP., see Wu, C.  Lynov, J.P., see Wu, C.  Lynov, J.P., see Juul Rasmussen, J. Lynov, J.P., see Karpman, V.I. Mason, P.A., Establishing an imaging system to support a microscopy laboratory Masri, S.F., see Chassiakos, A.G. Mazin, W., K.E. Rasmussen, E. Mosekilde, P. Borckmans and G. Dewel, Pattern Formation in the bistable Gray-Scott model McIntosh, A.R., see Gonzalez-Lima, F. Micheloyannis, S., see Papadourakis, G. Michel, A., see Gruijé, L.T. Micheloyannis, S., see Karpman, V.I. Mikiten, T.M., Intuition-based computing: A new kind of 'virtual reality' Minchinton, P.R., see Mitchell, R.J. Mischell, R.J., J.M. Bishop and P.R. Minchinton, Optimising memory usage in n-tuple neural networks Mosekilde, E., see Rasmussen, J.  Mosekilde, E., see Rasmussen, J.  Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis Penrose, R., see Hameroff, S.  Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems	Jeppesen, C., see Gilhøj, H.	(3-4)319-337
Jull Rasmussen, J., see Karpman, V.I.  Karpman, V.I., J.P. Lynov, P.K. Michelsen and J. Juul Rasmussen, Modulational instability of plasma waves in two dimensions.  Kenkre, V.M., see Cruzeiro-Hansson, L.  Kessler, J.O., Consumption, supply and transport: Self-organization without direct communication  Kollias, S., see Kontoravdis, D.  Kontoravdis, D., S. Kollias and A. Stafylopatis, A two-phase connectionist approach invariant picture interpretation  Lamy, D., Modeling and sensitivity analysis of neural networks  Laradji, M., see Gilhej, H.  Lazarides, N. and M.P. Sérensen, Gap anisotropy and tunneling currents  Liebman, M.N., Application of neural networks to the analysis of structure and function in biologically active macromolecules  Lin, HP., see Wu, C.  Lynov, J.P., see Wu, C.  Lynov, J.P., see Wu, C.  Lynov, J.P., see Warpman, V.I.  Mason, P.A., Establishing an imaging system to support a microscopy laboratory  Masri, S.F., see Chassiakos, A.G.  Mazin, W., K.E. Rasmussen, E. Mosekilde, P. Borckmans and G. Dewel, Pattern Formation in the bistable Gray-Scott model  McIntosh, A.R., see Gorzalez-Lima, F.  Micheloyannis, S., see Papadourakis, G.  Michelsen, P.K., see Karpman, V.I.  Mikiten, T.M., Intuition-based computing: A new kind of 'virtual reality'  Michithell, R.J., J.M. Bishop and P.R. Minchinton, Optimising memory usage in n-tuple neural networks  Mosekilde, E., see Rasmussen, J.  Mosekilde, E., see Thomsen, J.S.  Mosekilde, E., see		(5-6)623-635
Junl Rasmussen, J., see Karpman, V.I. Karpman, V.I., J.P. Lynov, P.K. Michelsen and J. Juul Rasmussen, Modulational instability of plasma waves in two dimensions. Kenkre, V.M., see Cruzeiro-Hansson, L. Kessler, J.O., Consumption, supply and transport: Self-organization without direct communication Kollias, S., see Kontoravdis, D. Kontoravdis, D., S. Kollias and A. Stafylopatis, A two-phase connectionist approach to invariant picture interpretation Lamy, D., Modeling and sensitivity analysis of neural networks Laradji, M., see Gilhėj, H. Lazarides, N. and M.P. Sørensen, Gap anisotropy and tunneling currents Liebman, M.N., Application of neural networks to the analysis of structure and function in biologically active macromolecules Lin, HP., see Wu, C. Lynov, J.P., see Juul Rasmussen, J. Lynov, J.P., see Arpman, V.I. Mason, P.A., Establishing an imaging system to support a microscopy laboratory Masri, S.F., see Chassiakos, A.G. Mazin, W., K.E. Rasmussen, E. Mosekilde, P. Borckmans and G. Dewel, Pattern Formation in the bistable Gray-Scott model McIntosh, A.R., see Gonzalez-Lima, F. Michel, A., see Grujić, L.T. Michell, A., see Grujić, L.T. Michell, R.J., J.M. Bishop and P.R. Minchinton, Optimising memory usage in n-tuple neural networks Mosekilde, E., see Paadourakis, G. Mosekilde, E., see Mazin, W. Mosekilde, E., see Rasmussen, J. Mosekilde, E., see Ramenussen, J. Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis Penrose, R., see Hameroff, S. Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems  Jan. 2023–234  3–4) 247–270		
Kenkre, V.M., see Cruzeiro-Hansson, L.  Kessler, J.O., Consumption, supply and transport: Self-organization without direct communication Kollias, S., see Kontoravdis, D.  Kontoravdis, D., S. Kollias and A. Stafylopatis, A two-phase connectionist approach to invariant picture interpretation Lamy, D., Modeling and sensitivity analysis of neural networks Laradji, M., see Gilhéj, H. Lazarides, N. and M.P. Sérensen, Gap anisotropy and tunneling currents Liebman, M.N., Application of neural networks to the analysis of structure and function in biologically active macromolecules Lin, HP., see Wu, C. Lin, HP., see Wu, C. Lynov, J.P., see Lasabilishing an imaging system to support a microscopy laboratory Masri, S.F., see Chassiakos, A.G. Mazin, W., K.E. Rasmussen, E. Mosekilde, P. Borekmans and G. Dewel, Pattern Formation in the bistable Gray—Scott model McIntosh, A.R., see Gonzalez-Lima, F. Micheloyannis, S., see Papadourakis, G. Michelsen, P.K., see Karpman, V.I. Michinton, P.R., see Mitchell, R.J. Mikiten, T.M., Intuition-based computing: A new kind of 'virtual reality' Minchinton, P.R., see Mazin, W. Mosskilde, E., see Rasmussen, J. Nosskilde, E., see Rasmussen, J. Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis Penrose, R., see Hameroff, S. Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems  (3–4) 247–270	vortices in two-dimensional flows	(3-4)207-221
Kenkre, V.M., see Cruzeiro-Hansson, L. Kessler, J.O., Consumption, supply and transport: Self-organization without direct communication Kollias, S., see Kontoravdis, D. Kontoravdis, D., S. Kollias and A. Stafylopatis, A two-phase connectionist approach to invariant picture interpretation Lamy, D., Modeling and sensitivity analysis of neural networks Laradji, M., see Gilhéj, H. Lazarides, N. and M.P. Sérensen, Gap anisotropy and tunneling currents Liebman, M.N., Application of neural networks to the analysis of structure and function in biologically active macromolecules Liebman, M.N., Application of neural networks to the analysis of structure and function in biologically active macromolecules Lynov, J.P., see Mu, C. Lynov, J.P., see Hun C. Lynov, J.P., see Lynous, J.E. see Karpman, V.I. Mason, P.A., Establishing an imaging system to support a microscopy laboratory Mazin, W., K.E. Rasmussen, E. Mosekilde, P. Borckmans and G. Dewel, Pattern Formation in the bistable Gray-Scott model McIntosh, A.R., see Gruijé, L.T. Micheloyannis, S., see Papadourakis, G. Michelsen, P.K., see Karpman, V.I. Mikiten, T.M., Intuition-based computing: A new kind of 'virtual reality' Minchinton, P.R., see Mitchell, R.J. Mosekilde, E., see Mazin, W. Mosekilde, E., see Rasmussen, J. Mosekilde, E., see Rasmussen, J. Mosekilde, L., see Thomsen, J.S. Mosekilde	Juul Rasmussen, J., see Karpman, V.I.	(3-4)223-234
Keskre, V.M., see Cruzeiro-Hansson, L. Kessler, J.O., Consumption, supply and transport: Self-organization without direct communication Kollias, S., see Kontoravdis, D. Kontoravdis, D., S. Kollias and A. Stafylopatis, A two-phase connectionist approach to invariant picture interpretation Lamy, D., Modeling and sensitivity analysis of neural networks Laradji, M., see Gilhéj, H. Lazarides, N. and M.P. Sérensen, Gap anisotropy and tunneling currents Liebman, M.N., Application of neural networks to the analysis of structure and function in biologically active macromolecules Lin, HP., see Wu, C. Lynov, J.P., see Wu, C. Lynov, J.P., see Wu, C. Lynov, J.P., see Lastablishing an imaging system to support a microscopy laboratory Masri, S.F., see Chassiakos, A.G. Mazin, W., K.E. Rasmussen, E. Mosekilde, P. Borckmans and G. Dewel, Pattern Formation in the bistable Gray-Scott model McIntosh, A.R., see Grujić, L.T. Micheloyannis, S., see Papadourakis, G. Michelsen, P.K., see Karpman, V.I. Mikiten, T.M., Intuition-based computing: A new kind of 'virtual reality' Minchinton, P.R., see Mitchell, R.J. Mikiten, T.M., Intuition-based computing: A new kind of 'virtual reality' Mosekilde, E., see Mazin, W. Mosekilde, E., see Rasmussen, J. Mosekilde, E., see Thomsen, J.S. Mouritsen, O.G., see Gilhéj, H. Mosekilde, E., see Thomsen, J.S. Mouritsen, O.G., see Gilhéj, H. Nourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis Penrose, R., see Hameroff, S. Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems	Karpman, V.I., J.P. Lynov, P.K. Michelsen and J. Juul Rasmussen, Modulational instability	
Kessler, J.O., Consumption, supply and transport: Self-organization without direct communication  Kollias, S., see Kontoravdis, D.  Kontoravdis, D., S. Kollias and A. Stafylopatis, A two-phase connectionist approach to invariant picture interpretation  Lamy, D., Modeling and sensitivity analysis of neural networks  Laradji, M., see Gilhój, H.  Laradji, M., see Gilhój, H.  Liebman, M.N., Application of neural networks to the analysis of structure and function in biologically active macromolecules  Liebman, M.N., Application of neural networks to the analysis of structure and function in biologically active macromolecules  Lipnov, J.P., see Wu, C.  Lynov, J.P., see Wu, C.  Lynov, J.P., see Wu, C.  Lynov, J.P., see Exarpman, V.I.  Mason, P.A., Establishing an imaging system to support a microscopy laboratory  (1-2) 101-106  Masri, S.F., see Chassiakos, A.G.  Mazin, W., K.E. Rasmussen, E. Mosekilde, P. Borckmans and G. Dewel, Pattern Formation in the bistable Gray-Scott model  McIntosh, A.R., see Gonzalez-Lima, F.  Michelo, A., see Grujé, L.T.  Mikiten, T.M., Intuition-based computing: A new kind of 'virtual reality'  Minchinton, P.R., see Mitchell, R.J.  Mikiten, T.M., Intuition-based computing: A new kind of 'virtual reality'  Mosekilde, E., see Mazin, W.  Mosekilde, E., see Rasmussen, J.  Mosekilde, E., see Thomsen, J.S.  Mosekilde, E., see Thomsen, J.S.  Mosekilde, E., see Thomsen, J.S.  Mouritsen, O.G., see Gilhój, H.  Nikien, A.H., see Juul Rasmussen, J.  Papadourakis, G., M., Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis  Penrose, R., see Hameroff, S.  Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension  Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems  Kollias, A. S. Serlossen, G.  (5-6) 523-535  (5-6) 623-635  (3-4) 437-270	of plasma waves in two dimensions.	(3-4)223-234
munication Kollias, S., see Kontoravdis, D. Kontoravdis, D., S. Kollias and A. Stafylopatis, A two-phase connectionist approach to invariant picture interpretation  Lamy, D., Modeling and sensitivity analysis of neural networks  Laradji, M., see Gilhéj, H. Lazarides, N. and M.P. Sérensen, Gap anisotropy and tunneling currents  Liebman, M.N., Application of neural networks to the analysis of structure and function in biologically active macromolecules  Lin, HP., see Wu, C.  Lin, HP., see Wu, C.  Lynov, J.P., see Karpman, V.I.  Mason, P.A., Establishing an imaging system to support a microscopy laboratory  Masri, S.F., see Chassiakos, A.G.  Mazin, W., K.E. Rasmussen, E. Mosekilde, P. Borckmans and G. Dewel, Pattern Formation in the bistable Gray—Scott model  McIntosh, A.R., see Gonzalez-Lima, F.  Michel, A., see Grujić, L.T.  Michelsen, P.K., see Karpman, V.I.  Mikiten, T.M., Intuition-based computing: A new kind of 'virtual reality'  Minchinton, P.R., see Mitchell, R.J.  Mitchell, R.J., J.M. Bishop and P.R. Minchinton, Optimising memory usage in n-tuple neural networks  Mosekilde, E., see Rasmussen, J.  Mosekilde, E., see Ramsussen, J.  Mosekilde, E., see Thomsen, J.S.  Mosekilde, E., see Thomsen, J.S.  Mosekilde, L., see Thomsen, J.S.  Mosekilde, L., see Thomsen, J.S.  Mosekilde, L., see Thomsen, J.S.  Mosekilde, C., see Gilhéj, H.  Niclesn, A.H., see Juul Rasmussen, J.  Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis  Penrose, R., see Hameroff, S.  Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension  Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems		(3-4)297-304
Kollias, S., see Kontoravdis, D. Kontoravdis, D., S. Kollias and A. Stafylopatis, A two-phase connectionist approach to invariant picture interpretation  Lamy, D., Modeling and sensitivity analysis of neural networks  Laradji, M., see Gilhøj, H.  Liebman, M.N., Application of neural networks to the analysis of structure and function in biologically active macromolecules  Lin, HP., see Wu, C.  Lynov, J.P., see Juul Rasmussen, J.  Lynov, J.P., see Juul Rasmussen, J.  Lynov, J.P., see Karpman, V.I.  Mason, P.A., Establishing an imaging system to support a microscopy laboratory  Mazin, W., K.E. Rasmussen, E. Mosekilde, P. Borckmans and G. Dewel, Pattern Formation in the bistable Gray—Scott model  McIntosh, A.R., see Gonzalez-Lima, F.  Michel, A., see Grujić, L.T.  Micheloyannis, S., see Papadourakis, G.  Michelsen, P.K., see Karpman, V.I.  Mikiten, T.M., Intuition-based computing: A new kind of 'virtual reality'  Minchinton, P.R., see Mitchell, R.J.  Mosekilde, E., see Mazin, W.  Mosekilde, E., see Rasmussen, J.  Mosekilde, E., see Rasmussen, J.  Mosekilde, E., see Thomsen, J.S.  Mosekilde, L., see Thomsen, J.S.  Mosekilde, Mand T. Dauxois, DNA melting: A phase transition in one dimension  Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems	Kessler, J.O., Consumption, supply and transport: Self-organization without direct com-	
Kontoravdis, D., S. Kollias and A. Stafylopatis, A two-phase connectionist approach to invariant picture interpretation (5–6) 597–613 (5–6) 535–548 (3–4) 319–337 (3–4) 221–280 (1–2) 5–22 (1–2) 5–22 (1–2) 23–33 (2–2) (1–2) 23–33 (2–2) (1–2) 23–33 (2–2) (1–2) 23–33 (3–4) 207–221 (2–2) (1–2) (3–2) (3–4) (2–2) (1–2) (3–3) (3–4) 207–221 (2–2) (3–4) (3	munication	(3-4)359-370
invariant picture interpretation  Lamy, D., Modeling and sensitivity analysis of neural networks  Laradji, M., see Gilhój, H.  Lazarides, N. and M.P. Sórensen, Gap anisotropy and tunneling currents  Liebman, M.N., Application of neural networks to the analysis of structure and function in biologically active macromolecules  Lin, HP., see Wu, C.  Lin, HP., see Wu, C.  Lynov, J.P., see Juul Rasmussen, J.  Lynov, J.P., see Lastablishing an imaging system to support a microscopy laboratory  Masri, S.F., see Chassiakos, A.G.  Mazin, W., K.E. Rasmussen, E. Mosekilde, P. Borckmans and G. Dewel, Pattern Formation in the bistable Gray-Scott model  Michelsen, A.R., see Gonzalez-Lima, F.  Micheloyannis, S., see Papadourakis, G.  Michelsen, P.K., see Karpman, V.I.  Mikiten, T.M., Intuition-based computing: A new kind of 'virtual reality'  Minchinton, P.R., see Mitchell, R.J.  Minchell, R.J., J.M. Bishop and P.R. Minchinton, Optimising memory usage in n-tuple neural networks  Mosekilde, E., see Rasmussen, J.  Mosekilde, E., see Rasmussen, J.  Mosekilde, E., see Rasmussen, J.  Mosekilde, L., see Thomsen, J.S.  Mosekilde, L., see Thomsen, J.S.  Mosekilde, L., see Thomsen, J.S.  Mosekilde, L., see Juul Rasmussen, J.  Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis  Penrose, R., see Hameroff, S.  Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension  Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems		(5-6)597-613
Lamy, D., Modeling and sensitivity analysis of neural networks  Laradji, M., see Gilhéj, H.  Lazarides, N. and M.P. Sérensen, Gap anisotropy and tunneling currents  Liebman, M.N., Application of neural networks to the analysis of structure and function in biologically active macromolecules  Lin, HP., see Wu, C.  Lin, HP., see Wu, C.  Lynov, J.P., see Juul Rasmussen, J.  Lynov, J.P., see Lassiakos, A.G.  Mason, P.A., Establishing an imaging system to support a microscopy laboratory  Masri, S.F., see Chassiakos, A.G.  Mazin, W., K.E. Rasmussen, E. Mosekilde, P. Borckmans and G. Dewel, Pattern Formation in the bistable Gray-Scott model  McIntosh, A.R., see Gonzalez-Lima, F.  Michel, A., see Grujić, L.T.  Michelsen, P.K., see Karpman, V.I.  Mikiten, T.M., Intuition-based computing: A new kind of 'virtual reality'  Minchinton, P.R., see Mitchell, R.J.  Mitchell, R.J., J.M. Bishop and P.R. Minchinton, Optimising memory usage in n-tuple neural networks  Mosekilde, E., see Mazin, W.  Mosekilde, E., see Mazin, W.  Mosekilde, E., see Mazin, W.  Mosekilde, L., see Thomsen, J.S.  Mouritsen, O.G., see Gilhéj, H.  Nielsen, A.H., see Juul Rasmussen, J.  Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis  Penrose, R., see Hameroff, S.  Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension  Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems	Kontoravdis, D., S. Kollias and A. Stafylopatis, A two-phase connectionist approach to	
Laradji, M., see Gilhój, H.  Lazarides, N. and M.P. Sórensen, Gap anisotropy and tunneling currents  Liebman, M.N., Application of neural networks to the analysis of structure and function in biologically active macromolecules  Lin, HP., see Wu, C.  Lin, HP., see Wu, C.  Lynov, J.P., see Juul Rasmussen, J.  Lynov, J.P., see Karpman, V.I.  Mason, P.A., Establishing an imaging system to support a microscopy laboratory  Masri, S.F., see Chassiakos, A.G.  Mazin, W., K.E. Rasmussen, E. Mosekilde, P. Borckmans and G. Dewel, Pattern Formation in the bistable Gray-Scott model  McIntosh, A.R., see Gonzalez-Lima, F.  Michel, A., see Grujić, L.T.  Michelsen, P.K., see Karpman, V.I.  Mikiten, T.M., Intuition-based computing: A new kind of 'virtual reality'  Mitchell, R.J., J.M. Bishop and P.R. Minchinton, Optimising memory usage in n-tuple neural networks  Mosekilde, E., see Mazin, W.  Mosekilde, E., see Rasmussen, J.  Mosekilde, L., see Thomsen, J.S.  Mouritsen, O.G., see Gilhój, H.  Nielsen, A.H., see Juul Rasmussen, J.  Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis  Penrose, R., see Hameroff, S.  Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension  Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems		
Lazarides, N. and M.P. Sérensen, Gap anisotropy and tunneling currents  Liebman, M.N., Application of neural networks to the analysis of structure and function in biologically active macromolecules  Lin, HP., see Wu, C.  Lynov, J.P., see Juul Rasmussen, J.  Lynov, J.P., see Karpman, V.I.  Mason, P.A., Establishing an imaging system to support a microscopy laboratory  Masri, S.F., see Chassiakos, A.G.  Mazin, W., K.E. Rasmussen, E. Mosekilde, P. Borckmans and G. Dewel, Pattern Formation in the bistable Gray-Scott model  McIntosh, A.R., see Gonzalez-Lima, F.  Michel, A., see Grujić, L.T.  Michel, A., see Grujić, L.T.  Micheloyannis, S., see Papadourakis, G.  Micheloyannis, S., see Papadourakis, G.  Micheloyannis, N., see Marpman, V.I.  Mikiten, T.M., Intuition-based computing: A new kind of 'virtual reality'  Minchinton, P.R., see Mitchell, R.J.  Mischell, R.J., J.M. Bishop and P.R. Minchinton, Optimising memory usage in n-tuple neural networks  Mosekilde, E., see Mazin, W.  Mosekilde, E., see Rasmussen, J.  Mosekilde, E., see Thomsen, J.S.  Mouritsen, O.G., see Gilhój, H.  Nielsen, A.H., see Juul Rasmussen, J.  Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis  Penrose, R., see Hameroff, S.  Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension  Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems	Lamy, D., Modeling and sensitivity analysis of neural networks	(5-6)535-548
Liebman, M.N., Application of neural networks to the analysis of structure and function in biologically active macromolecules  Lin, HP., see Wu, C. (1-2) 23 - 33 Lynov, J.P., see Juul Rasmussen, J. (3-4) 207-221 Lynov, J.P., see Karpman, V.I. (3-4) 223-234 Mason, P.A., Establishing an imaging system to support a microscopy laboratory (1-2) 101-106 Masri, S.F., see Chassiakos, A.G. (5-6) 637-656 Mazin, W., K.E. Rasmussen, E. Mosekilde, P. Borckmans and G. Dewel, Pattern Formation in the bistable Gray-Scott model (3-4) 371-396 McIntosh, A.R., see Gonzalez-Lima, F. (1-2) 115-140 Michel, A., see Grujić, L.T. (5-6) 523-533 Michelsen, P.K., see Karpman, V.I. (3-4) 223-234 Mikiten, T.M., Intuition-based computing: A new kind of 'virtual reality' (1-2) 141-147 Minchinton, P.R., see Mitchell, R.J. (5-6) 549-563 Mitchell, R.J., J.M. Bishop and P.R. Minchinton, Optimising memory usage in n-tuple neural networks Mosekilde, E., see Mazin, W. (3-4) 371-396 Mosekilde, E., see Rasmussen, J. (3-4) 247-270 Mosekilde, E., see Thomsen, J.S. (3-4) 411-423 Mosekilde, L., see Thomsen, J.S. (3-4) 411-423 Mosekilde, L., see Thomsen, J.S. (3-4) 411-423 Mosekilde, L., see Juul Rasmussen, J. (3-4) 307-221 Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis Penrose, R., see Hameroff, S. (3-4) 453-486 Peryrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension (3-4) 305-318 Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems	Laradji, M., see Gilhøj, H.	(3-4)319-337
biologically active macromolecules  Lin, HP., see Wu, C.  Lin, HP., see Wu, C.  Lynov, J.P., see Juul Rasmussen, J.  Lynov, J.P., see Karpman, V.I.  Mason, P.A., Establishing an imaging system to support a microscopy laboratory  Masri, S.F., see Chassiakos, A.G.  Mazin, W., K.E. Rasmussen, E. Mosekilde, P. Borckmans and G. Dewel, Pattern Formation in the bistable Gray-Scott model  McIntosh, A.R., see Gonzalez-Lima, F.  Michel, A., see Grujić, L.T.  (5-6) 523-533  Micheloyannis, S., see Papadourakis, G.  Michelsen, P.K., see Karpman, V.I.  Mikiten, T.M., Intuition-based computing: A new kind of 'virtual reality'  Michell, R.J., J.M. Bishop and P.R. Minchinton, Optimising memory usage in n-tuple neural networks  Mosekilde, E., see Mazin, W.  Mosekilde, E., see Rasmussen, J.  Mosekilde, E., see Thomsen, J.S.  Mosekilde, L., see Thomsen, J.S.  Mosekilde, L., see Thomsen, J.S.  Mosekilde, L., see Juul Rasmussen, J.  Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis  Penrose, R., see Hameroff, S.  Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension  Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems  (3-4) 247-270		(3-4)271-280
Lin, HP., see Wu, C. Lynov, J.P., see Juul Rasmussen, J. Lynov, J.P., see Karpman, V.I.  Mason, P.A., Establishing an imaging system to support a microscopy laboratory Masri, S.F., see Chassiakos, A.G.  Mazin, W., K.E. Rasmussen, E. Mosekilde, P. Borckmans and G. Dewel, Pattern Formation in the bistable Gray-Scott model  McIntosh, A.R., see Gonzalez-Lima, F.  Michel, A., see Grujić, L.T.  Michel, A., see Grujić, L.T.  Michelsen, P.K., see Karpman, V.I.  Mikiten, T.M., Intuition-based computing: A new kind of 'virtual reality'  Mitchell, R.J., J.M. Bishop and P.R. Minchinton, Optimising memory usage in n-tuple neural networks  Mosekilde, E., see Mazin, W.  Mosekilde, E., see Rasmussen, J.  Mosekilde, E., see Rasmussen, J.  Mosekilde, L., see Thomsen, J.S.  Mouritsen, O.G., see Gilhój, H.  Nielsen, A.H., see Juul Rasmussen, J.  Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis  Penrose, R., see Hameroff, S.  Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension  Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems  (3-4) 247-270		
Lynov, J.P., see Juul Rasmussen, J. Lynov, J.P., see Karpman, V.I. Mason, P.A., Establishing an imaging system to support a microscopy laboratory Masri, S.F., see Chassiakos, A.G. Mazin, W., K.E. Rasmussen, E. Mosekilde, P. Borckmans and G. Dewel, Pattern Formation in the bistable Gray-Scott model McIntosh, A.R., see Gonzalez-Lima, F. Michel, A., see Grujić, L.T. Michel, A., see Grujić, L.T. Micheloyannis, S., see Papadourakis, G. Michelsen, P.K., see Karpman, V.I. Mikiten, T.M., Intuition-based computing: A new kind of 'virtual reality' Minchinton, P.R., see Mitchell, R.J. Mitchell, R.J., J.M. Bishop and P.R. Minchinton, Optimising memory usage in n-tuple neural networks Mosekilde, E., see Mazin, W. Mosekilde, E., see Rasmussen, J. Mosekilde, E., see Thomsen, J.S. Mosekilde, E., see Thomsen, J.S. Mosekilde, L., see Thomsen, J.S. Mouritsen, O.G., see Gilhøj, H. Nielsen, A.H., see Juul Rasmussen, J. Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis Penrose, R., see Hameroff, S. Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems  (3-4) 247-270	biologically active macromolecules	(1-2) 5- 22
Lynov, J.P., see Karpman, V.I.  Mason, P.A., Establishing an imaging system to support a microscopy laboratory  Masri, S.F., see Chassiakos, A.G.  Mazin, W., K.E. Rasmussen, E. Mosekilde, P. Borckmans and G. Dewel, Pattern Formation in the bistable Gray—Scott model  McIntosh, A.R., see Gonzalez-Lima, F.  Michel, A., see Grujić, L.T.  Micheloyannis, S., see Papadourakis, G.  Michelsen, P.K., see Karpman, V.I.  Mikiten, T.M., Intuition-based computing: A new kind of 'virtual reality'  Minchinton, P.R., see Mitchell, R.J.  Mosekilde, E., see Mazin, W.  Mosekilde, E., see Rasmussen, J.  Mosekilde, E., see Rasmussen, J.  Mosekilde, E., see Thomsen, J.S.  Mosekilde, E., see Thomsen, J.S.  Mouritsen, O.G., see Gilhój, H.  Nielsen, A.H., see Juul Rasmussen, J.  Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks of clinical diagnosis  Penrose, R., see Hameroff, S.  Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension  Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems  (3-4) 247-270	Lin, HP., see Wu, C.	(1-2) 23- 33
Mason, P.A., Establishing an imaging system to support a microscopy laboratory  Masri, S.F., see Chassiakos, A.G.  Mazin, W., K.E. Rasmussen, E. Mosekilde, P. Borckmans and G. Dewel, Pattern Formation in the bistable Gray-Scott model  McIntosh, A.R., see Gonzalez-Lima, F.  Michel, A., see Grujić, L.T.  Michel, A., see Grujić, L.T.  Micheloyannis, S., see Papadourakis, G.  Michelsen, P.K., see Karpman, V.I.  Mikiten, T.M., Intuition-based computing: A new kind of 'virtual reality'  Minchinton, P.R., see Mitchell, R.J.  Mitchell, R.J., J.M. Bishop and P.R. Minchinton, Optimising memory usage in n-tuple neural networks  Mosekilde, E., see Mazin, W.  Mosekilde, E., see Rasmussen, J.  Mosekilde, E., see Thomsen, J.S.  Mosekilde, L., see Thomsen, J.S.  Mosekilde, L., see Thomsen, J.S.  Mouritsen, O.G., see Gilhój, H.  Nielsen, A.H., see Juul Rasmussen, J.  Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis  Penrose, R., see Hameroff, S.  Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension  Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems	Lynov, J.P., see Juul Rasmussen, J.	(3-4)207-221
Masri, S.F., see Chassiakos, A.G.  Mazin, W., K.E. Rasmussen, E. Mosekilde, P. Borckmans and G. Dewel, Pattern Formation in the bistable Gray-Scott model  McIntosh, A.R., see Gonzalez-Lima, F.  Michel, A., see Gruziic, L.T.  Micheloyannis, S., see Papadourakis, G.  Michelsen, P.K., see Karpman, V.I.  Mikiten, T.M., Intuition-based computing: A new kind of 'virtual reality'  Minchinton, P.R., see Mitchell, R.J.  Mitchell, R.J., J.M. Bishop and P.R. Minchinton, Optimising memory usage in n-tuple neural networks  Mosekilde, E., see Mazin, W.  Mosekilde, E., see Rasmussen, J.  Mosekilde, E., see Thomsen, J.S.  Mosekilde, G., see Gilhøj, H.  Nielsen, A.H., see Juul Rasmussen, J.  Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis  Penrose, R., see Hameroff, S.  Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension  Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems		(3-4)223-234
Mazin, W., K.E. Rasmussen, E. Mosekilde, P. Borckmans and G. Dewel, Pattern Formation in the bistable Gray-Scott model  McIntosh, A.R., see Gonzalez-Lima, F.  Michel, A., see Grujić, L.T.  Michelyannis, S., see Papadourakis, G.  Michelsen, P.K., see Karpman, V.I.  Minchinton, P.R., see Mitchell, R.J.  Mikiten, T.M., Intuition-based computing: A new kind of 'virtual reality'  Minchinton, P.R., see Mitchell, R.J.  Mitchell, R.J., J.M. Bishop and P.R. Minchinton, Optimising memory usage in n-tuple neural networks  Mosekilde, E., see Mazin, W.  Mosekilde, E., see Rasmussen, J.  Mosekilde, E., see Thomsen, J.S.  Mosekilde, L., see Thomsen, J.S.  Mouritsen, O.G., see Gilhój, H.  Niclsen, A.H., see Juul Rasmussen, J.  Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis  Penrose, R., see Hameroff, S.  Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension  Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems		(1-2)101-106
in the bistable Gray–Scott model  McIntosh, A.R., see Gonzalez-Lima, F.  Michel, A., see Grujić, L.T.  Micheloyannis, S., see Papadourakis, G.  Michelsen, P.K., see Karpman, V.I.  Mikiten, T.M., Intuition-based computing: A new kind of 'virtual reality'  Minchinton, P.R., see Mitchell, R.J.  Mitchell, R.J., J.M. Bishop and P.R. Minchinton, Optimising memory usage in n-tuple neural networks  Mosekilde, E., see Mazin, W.  Mosekilde, E., see Rasmussen, J.  Mosekilde, E., see Thomsen, J.S.  Mouritsen, O.G., see Gilhøj, H.  Nielsen, A.H., see Juul Rasmussen, J.  Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis  Penrose, R., see Hameroff, S.  Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension  Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems		(5-6)637-656
McIntosh, A.R., see Gonzalez-Lima, F.  Michel, A., see Grujić, L.T.  Micheloyannis, S., see Papadourakis, G.  Michelsen, P.K., see Karpman, V.I.  Mikiten, T.M., Intuition-based computing: A new kind of 'virtual reality'  Michell, R.J., J.M. Bishop and P.R. Minchinton, Optimising memory usage in n-tuple neural networks  Mosekilde, E., see Mazin, W.  Mosekilde, E., see Rasmussen, J.  Mosekilde, E., see Thomsen, J.S.  Mouritsen, O.G., see Gilhøj, H.  Nielsen, A.H., see Juul Rasmussen, J.  Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis  Penrose, R., see Hameroff, S.  Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension  Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems  (5-6) 523-533  (5-6) 623-635  (5-6) 623-635	Mazin, W., K.E. Rasmussen, E. Mosekilde, P. Borckmans and G. Dewel, Pattern Formation	
Michel, A., see Grujić, L.T.  Micheloyannis, S., see Papadourakis, G.  Michelsen, P.K., see Karpman, V.I.  Mikiten, T.M., Intuition-based computing: A new kind of 'virtual reality'  Michell, R.J., J.M. Bishop and P.R. Minchinton, Optimising memory usage in n-tuple neural networks  Mosekilde, E., see Mazin, W.  Mosekilde, E., see Rasmussen, J.  Mosekilde, E., see Thomsen, J.S.  Mosekilde, L., see Thomsen, J.S.  Mouritsen, O.G., see Gilhój, H.  Nielsen, A.H., see Juul Rasmussen, J.  Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis  Penrose, R., see Hameroff, S.  Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension  Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems  (5-6) 523-533  (5-6) 623-635	in the bistable Gray-Scott model	(3-4)371-396
Micheloyannis, S., see Papadourakis, G.  Michelsen, P.K., see Karpman, V.I.  Mikiten, T.M., Intuition-based computing: A new kind of 'virtual reality'  Minchinton, P.R., see Mitchell, R.J.  Mitchell, R.J., J.M. Bishop and P.R. Minchinton, Optimising memory usage in n-tuple neural networks  Mosekilde, E., see Mazin, W.  Mosekilde, E., see Rasmussen, J.  Mosekilde, E., see Thomsen, J.S.  Mosekilde, L., see Thomsen, J.S.  Mouritsen, O.G., see Gilhøj, H.  Nielsen, A.H., see Juul Rasmussen, J.  Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis  Penrose, R., see Hameroff, S.  Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension  Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems  (5-6) 623-635  (3-4) 247-270  (3-4) 207-221  (3-4) 207-221  (3-4) 305-318	McIntosh, A.R., see Gonzalez-Lima, F.	(1-2)115-140
Michelsen, P.K., see Karpman, V.I.  Mikiten, T.M., Intuition-based computing: A new kind of 'virtual reality'  Minchinton, P.R., see Mitchell, R.J.  Mitchell, R.J., J.M. Bishop and P.R. Minchinton, Optimising memory usage in n-tuple neural networks  Mosekilde, E., see Mazin, W.  Mosekilde, E., see Rasmussen, J.  Mosekilde, E., see Thomsen, J.S.  Mosekilde, L., see Thomsen, J.S.  Mouritsen, O.G., see Gilhøj, H.  Nielsen, A.H., see Juul Rasmussen, J.  Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis  Penrose, R., see Hameroff, S.  Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension  Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems  (3-4) 223-234  (1-2) 141-147  (5-6) 549-563  (5-6) 549-563  (3-4) 371-396  (3-4) 247-270  (3-4) 247-270  (3-4) 247-270  (3-4) 247-270		
Mikiten, T.M., Intuition-based computing: A new kind of 'virtual reality'  Minchinton, P.R., see Mitchell, R.J.  Mitchell, R.J., J.M. Bishop and P.R. Minchinton, Optimising memory usage in n-tuple neural networks  Mosekilde, E., see Mazin, W.  Mosekilde, E., see Rasmussen, J.  Mosekilde, E., see Thomsen, J.S.  Mosekilde, L., see Thomsen, J.S.  Mouritsen, O.G., see Gilhøj, H.  Nielsen, A.H., see Juul Rasmussen, J.  Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis  Penrose, R., see Hameroff, S.  Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension  Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems  (3-4) 247-270  (5-6) 549-563  (5-6) 549-563  (3-4) 371-396  (3-4) 247-270  (3-4) 247-270  (3-4) 247-270  (3-4) 247-270	Micheloyannis, S., see Papadourakis, G.	(5-6)623-635
Minchinton, P.R., see Mitchell, R.J.  Mitchell, R.J., J.M. Bishop and P.R. Minchinton, Optimising memory usage in n-tuple neural networks  Mosekilde, E., see Mazin, W.  Mosekilde, E., see Rasmussen, J.  Mosekilde, E., see Thomsen, J.S.  Mosekilde, L., see Thomsen, J.S.  Mouritsen, O.G., see Gilhøj, H.  Nielsen, A.H., see Juul Rasmussen, J.  Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis  Penrose, R., see Hameroff, S.  Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension  Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems  (5–6) 549–563  (5–6) 549–563  (3–4) 247–270  (3–4) 247–270		(3-4)223-234
Mitchell, R.J., J.M. Bishop and P.R. Minchinton, Optimising memory usage in n-tuple neural networks  Mosekilde, E., see Mazin, W.  Mosekilde, E., see Rasmussen, J.  Mosekilde, E., see Thomsen, J.S.  Mosekilde, L., see Thomsen, J.S.  Mouritsen, O.G., see Gilhøj, H.  Nielsen, A.H., see Juul Rasmussen, J.  Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis  Penrose, R., see Hameroff, S.  Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension  Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems  (5-6) 549-563  (3-4) 371-396  (3-4) 247-270  (3-4) 247-270	Mikiten, T.M., Intuition-based computing: A new kind of 'virtual reality'	(1-2)141-147
neural networks (5–6) 549–563  Mosekilde, E., see Mazin, W. (3–4) 371–396  Mosekilde, E., see Rasmussen, J. (3–4) 247–270  Mosekilde, E., see Thomsen, J.S. (3–4) 411–423  Mosekilde, L., see Thomsen, J.S. (3–4) 411–423  Mouritsen, O.G., see Gilhøj, H. (3–4) 319–337  Nielsen, A.H., see Juul Rasmussen, J. (3–4) 207–221  Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis (5–6) 623–635  Penrose, R., see Hameroff, S. (3–4) 453–486  Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension (3–4) 305–318  Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems (3–4) 247–270	Minchinton, P.R., see Mitchell, R.J.	(5-6)549-563
Mosekilde, E., see Mazin, W.  Mosekilde, E., see Rasmussen, J.  Mosekilde, E., see Thomsen, J.S.  Mosekilde, L., see Thomsen, J.S.  Mouritsen, O.G., see Gilhøj, H.  Nielsen, A.H., see Juul Rasmussen, J.  Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis  Penrose, R., see Hameroff, S.  Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension  Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems  (3-4) 371-396 (3-4) 247-270	Mitchell, R.J., J.M. Bishop and P.R. Minchinton, Optimising memory usage in n-tuple	
Mosekilde, E., see Rasmussen, J.  Mosekilde, E., see Thomsen, J.S.  Mosekilde, L., see Thomsen, J.S.  Mouritsen, O.G., see Gilhøj, H.  Nielsen, A.H., see Juul Rasmussen, J.  Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis  Penrose, R., see Hameroff, S.  Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension  Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems  (3-4) 247-270	neural networks	(5-6)549-563
Mosekilde, E., see Thomsen, J.S.  Mosekilde, L., see Thomsen, J.S.  Mouritsen, O.G., see Gilhøj, H.  Nielsen, A.H., see Juul Rasmussen, J.  Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis  Penrose, R., see Hameroff, S.  Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension  Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems  (3-4)411-423 (3	Mosekilde, E., see Mazin, W.	(3-4)371-396
Mosekilde, L., see Thomsen, J.S.  Mouritsen, O.G., see Gilhøj, H.  Nielsen, A.H., see Juul Rasmussen, J.  Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis  Penrose, R., see Hameroff, S.  Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension  Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems  (3-4) 411-423 (3-4) 411-423 (3-4) 411-423 (3-4) 207-221 (3-4) 207-22	Mosekilde, E., see Rasmussen, J.	(3-4)247-270
Mouritsen, O.G., see Gilhéj, H.  Nielsen, A.H., see Juul Rasmussen, J.  Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis  Penrose, R., see Hameroff, S.  Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension  Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems  (3–4) 319–337 (3–4) 207–221 (5–6) 623–635 (3–4) 453–486 (3–4) 305–318 (3–4) 247–270	Mosekilde, E., see Thomsen, J.S.	(3-4)411-423
Nielsen, A.H., see Juul Rasmussen, J.  Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis  Penrose, R., see Hameroff, S.  Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension  Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems  (3-4) 207-221  (3-4) 207-221  (3-4) 207-221  (3-4) 207-221  (3-4) 207-221  (3-4) 207-221		(3-4)411-423
Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural networks for clinical diagnosis  Penrose, R., see Hameroff, S.  Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension  Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems  (5-6) 623-635  (3-4) 453-486  (3-4) 305-318  (3-4) 247-270		(3-4)319-337
networks for clinical diagnosis  Penrose, R., see Hameroff, S.  Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension  Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems  (3-4) 247-270		
Penrose, R., see Hameroff, S. (3-4)453-486 Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension (3-4)305-318 Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems (3-4)247-270	Papadourakis, G., M. Vourkas, S. Micheloyannis and B. Jervis, Use of artificial neural	
Peyrard, M. and T. Dauxois, DNA melting: A phase transition in one dimension  (3-4) 305-318  Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems  (3-4) 247-270	networks for clinical diagnosis	(5-6)623-635
Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems (3-4) 247-270		(3-4)453-486
		(3-4)305-318
Rasmussen, K.E., see Mazin, W. (3-4)371-396	Rasmussen, J., E. Mosekilde and C.H. Reick, Bifurcations in two coupled Rössler systems	(3-4)247-270
	Rasmussen, K.E., see Mazin, W.	(3-4)371-396

Rasmussen, K.Ø., Y.B. Gaididei, O. Bang and P.L. Christiansen, Nonlinear and stochastic	
modelling of energy transfer in Schreibe aggregates	(3-4)339-358
Reick, C.H., Linear response functions of chaotic systems and equilibrium moments	(3-4)281-295
Reick, C.H., see Rasmussen, J.	(3-4)247-270
Robnik, M., The energy level statistics of Hamiltonian systems between integrability and	,
chaos: The semiclassical limit	(3-4)159-179
Sbarbaro, D., K.J. Hunt and P.J. Gawthrop, Designing nonlinear controllers using connec-	,
tionist networks	(5-6)657-663
Schmidt, M.R., see Juul Rasmussen, J.	(3-4)207-221
Schmidtmann, O., see Feudel, F.	(3-4)235-245
Scordilis, M.S., A neuronal formant synthesizer	(5-6) 615-622
Scott, A., The hierarchical emergence of conciousness	(3-4) 481-489
Seehafer, N., see Feudel, F.	(3-4)235-245
Sept, D., see Tuszyński, J.A.	(3-4) 425-442
Shivakumar, S., see Wu, C.	(1-2) 23- 33
Silver, D., see Zabusky, J.	(3-4)181-191
Softky, W., McCulloch-Pitts strikes back: A biophysical interpretation of cortical neurons	,
as sub-millisecond binary devices	(1-2) 71- 79
Sógaard, C.H., see Thomsen, J.S.	(3-4)411-423
Sørensen, M.P., see Lazarides, N.	(3-4)271-280
Stafylopatis, A., see Kontoravdis, D.	(5-6) 597-613
Stamou, G.B., see Tzafestas, S.G.	(5-6) 565-576
Thomas, E. and R.E. Wyatt, A computational model of spindle oscillations	(1-2) 35- 69
Thomsen, J.S., L. Mosekilde, J. Barlach, C.H. Ségaard and E. Mosekilde, Computerized	, ,
determination of 3-D connectivity density in human iliac crest bone biopsies	(3-4)411-423
Toxværd, S., see Gilhoj, H.	(3-4)319-337
Travis, B.J., A computational model of one pathway in the cat subcortical auditory system	(1-2) 81- 99
Trpisova, B., see Tuszynski, J.A.	(3-4)425-442
Tuszyński, J.A., D. Sept and B. Trpisova, The cell's microtubules: Growth dynamics, ordering	
of dipoles and modes of energy propagation	(3-4)425-442
Tzafestas, S.G. and G.B. Stamou, An improved neural network for fuzzy reasoning imple-	
mentation	(5-6)565-576
Tzafestas, S.G., P.J. Dalianis and G. Anthopoulos, On the overtraining phenomenon of	
backpropagation neural networks	(5-6)507-521
Veldurti, S., see Wu, C.	(1-2) 23- 33
Venetsanopoulos, A.N., see Yu, P.	(5-6)577-595
Vourkas, M., see Papadourakis, G.	(5-6)623-635
Wu, C., S. Shivakumar, HP. Lin, S. Veldurti and Y. Bhatikar, Neural networks for molecular	
sequence classification	(1-2) 23- 33
Wyatt, R.E., see Thomas, E.	(1-2) 35- 69
Yu, P., V. Anastassopoulos and A.N. Venetsanopoulos, Pattern recognition based on mor-	
phological shape analysis and neural networks	(5-6)577-595
Zabusky, J. and D. Silver, Visiometrics and modeling in computational fluid dynamics	(3-4)181-191
Zuckermann, M.J., see Gilhøj, H.	(3-4)319-337